

HUBSONIK GROOVE

Panneau MDF avec perforation acoustique rainurée

MDF panel with grooved acustic perforation

Finitions *Finishes*	Placage de bois naturel, stratifié HPL, laque sur RAL *Natural wood veneer, HPL laminate, lacquer (paint) on RAL*
Avantages *A dvantage s*	Bonnes performances acoustiques tout en bénéficiant d'un aspect linéaire *Goodacousticperformancewhilebenefiting from a linear appearance*
Applications *Applications*	Habillage mural, faux-plafonds *Wall cladding, false ceilings*

MDF PANEL WITH ACOUSTIC PERFORATIONS

HubSonik Groove is a perforated MDF acoustic absorption panel with a grooved surface.
Our HubSonik Groove perforated acoustic panels can be fully fire-retardant upon request.

• BENEFITS
Excellent acoustic performance (e.g., aW 0.95 for the 3-13). A timeless, linear design.
All laminate brands can be applied.
B-S2-d0 certification available for panel + fine-grain wood veneer + varnish.
Acoustic panel manufactured in Prissé, France.
Spotlight recesses available upon request.
• CERTIFICATIONS
Fire rating: Euroclass B-s2-d0.

Tolérancesdimensionnelles
Dimensional tolerances

• **Épaisseur** / Thickness	EN 324-1	mm	+/-0,
• **Longueur** / Largeur / Length / Width	EN 324-1	mm	3 +/-
• **Équerrage** / Squaring	EN 324-2	mm	5 +/- 2

Largeurderainureenface (mm)
Front groove width (mm)


3


Autres largeurs de rainures sur demande selon disponibilité

Diamètresdeperforationcontre-face(mm)
Reverse side perforation diameters (mm)

12

Entraxedeperforationsetpasderainure (mm)
Hole spacing and groove pitch (mm)





- **Version** 3/13
- **Entraxe** 16x16
  Pas 13

- **Version** 3/29
- **Entraxe** 3 2x16
  Pas 29

MOTIFS

Épaisseure brute avant placage
Thickness before lamination

18mm

Formats Panneaux
Pannel Sizes


Onglet selon perforation

HubSonik Groove 3/13 / 3000x1197 panel
Single edge groove available upon request


HubSonik Groove 3/29/panel 3000x1181
Single edge groove available upon request

HubSonik Groove 3/13/slat 3000x189
2 grooves along the long edges
+ one false tongue per plank

HubSonik Groove 3/29/slat 3000x189
2 long-edge grooves
+ one faux tongue per plank



3/13



3/29

The technical specifications in this sheet are provided for informational purposes only and apply solely to the core of the substrate, excluding any overlay.